

# LAGERPROGRAM/STOCK PROGRAM

Kontakt/Contact:

**Ulf Eriksson**  
Sales Manager

**Booforge Steel AB**  
Box 55, 691 21 Karlskoga  
Phone: +46 586 24 58 13  
Mobile: +46 70 952 82 08  
Mail: [ulf.eriksson@booforge.com](mailto:ulf.eriksson@booforge.com)  
Web: [www.booforge.com](http://www.booforge.com)

BOOFORGE STEEL				BOOFORGE STEEL AB - FEM/ISO FORK LIST												
DESCRIPTION				BLADE LENGTH [mm] AVAILABLE MARKED X												
Booforge art.number	Section Size [mm x mm]	ISO-Class/ Mounting	Capacity @ Load Centre Distance [kg / Pair @ mm]	1000	1100	1150	1200	1300	1400	1500	1600	1800	2000	2200	2400	
W2AB10008	80 x 40	2A	2.000 @ 500	X												
W2AB11508	80 x 40					X										
W2AB12008	80 x 40						X									
W2AB14008	80 x 40									X						
W2AA10008	100 x 35	2A	2.000 @ 500	X												
W2AA12008	100 x 35					X										
W2AA14008	100 x 35									X						
W2AC10008	100 x 40	2A	2.500 @ 500	X												
W2AC11508	100 x 40					X										
W2AC12008	100 x 40						X									
W2AC14008	100 x 40									X						
W2AC16008	100 x 40											X				
W2AC18008	100 x 40												X			
W2AC20008	100 x 40													X		
W2AG10008	100 x 45			2A	3.000 @ 500	X										
W2AG12008	100 x 45					X										
W2AG14008	100 x 45									X						
W2AG16008	100 x 45											X				
W2AG2008	100 x 45													X		
W3AG10008	100 x 45	3A	3.500 @ 500	X												
W3AG12008	100 x 45					X										
W3AG14008	100 x 45									X						
W3AG16008	100 x 45											X				
W3AG18008	100 x 45												X			
R3AM12008	120 x 50	3A	5.000 @ 500			X										
R3AM14008	120 x 50									X						
R3AM16008	120 x 50											X				
R3AM18008	120 x 50												X			
R3AM20008	120 x 50													X		
W3AN12008	150 x 50							X								
W3AN16008	150 x 50	3A	6.000 @ 500								X					
W3AN18008	150 x 50												X			
W3AN20008	150 x 50													X		
W3AN24008	150 x 50															X
W4AQ12008	150 x 60	4A	8.000 @ 600				X									
W4AQ18008	150 x 60												X			
W4AQ24008	150 x 60															X

\*\* Booforge Steel AB forks meet and exceed the requirements of ISO 2328 and ISO 2330 \*\*

\*\* Please contact us in case of any demand for special forks or any technical question ! \*\*

\*\* Forks, highlighted in grey fields are available from stock \*\*

\*\* PRICES ON REQUEST BY YOUR BOOFORGE REPRESENTATIVE, prices are EXW Karlskoga (INCOTERMS 2010), excl. VAT\*\*

\*\* General terms and conditions of Booforge Steel AB (ALBIF 2000) \*\*

BOOFORGE Steel AB - Verkstadsvägen, Gate 2, 691 50 Karlskoga  
www.booforge.com

**Booforge Steel AB**

Box 55 • SE-691 21 Karlskoga, Sweden • Tel +46 586 24 58 00 • VAT NO SE5565272696

[www.booforge.com](http://www.booforge.com)

BOOFORGE STEEL				BOOFORGE STEEL AB - BLANK FORK LIST												
DESCRIPTION				BLADE LENGTH [mm] AVAILABLE MARKED X												
Booforge art.number	Section Size [mm x mm]	Back Height [mm]	Max. Capacity @ Load Centre Distance [kg / Pair @ mm]	1000	1100	1150	1200	1300	1400	1450	1500	1600	1800	2000	2200	2400
M024756	100 x 40	550	1.500 @				X									
M022396	100 x 40	710	500				X									
M026175	125 x 45	650	4.700 @				X									
M022585	125 x 45	840					X									
M023326	125 x 45	840										X				
M022161	125 x 45	840										X				
M021495	125 x 50	840	5.800 @				X									
M021496	125 x 50	840							X							
M023063	125 x 50	840									X					
M023062	125 x 50	840										X				
M024197	125 x 50	840											X			
M026305	150 x 60	860	10.000 @				X									
7341408	150 x 60	860								X						
7344865	150 x 60	860	500								X					
7341409	150 x 60	860	8.400 @									X				
M029016	150 x 60	860	600											X		
M029153	150 x 60	860														X

**\*\* Booforge Steel AB forks meet and exceed the requirements of ISO 2328 and ISO 2330 \*\***  
**\*\* Please contact us in case of any demand for special forks or any technical question ! \*\***  
**\*\* Forks, highlighted in grey fields are available from stock \*\***  
**\*\* PRICES ON REQUEST BY YOUR BOOFORGE REPRESENTATIVE, prices are EXW Karlskoga (INCOTERMS 2010), excl. VAT\*\***  
**\*\* General terms and conditions of Booforge Steel AB (ALBIF 2000) \*\***

**BOOFORGE Steel AB - Verkstadsvägen, Gate 2, 691 50 Karlskoga**  
**www.booforge.com**

*NOTE: For blank fork arms, the fork capacity applies only to the fork section size. It does not apply to any assembly, fixture or attachment, or to the blank fork if significantly altered from the original supply.*

**Booforge Steel AB**

Box 55 • SE-691 21 Karlskoga, Sweden • Tel +46 586 24 58 00 • VAT NO SE5565272696

[www.booforge.com](http://www.booforge.com)